

Hazard Vulnerability Percentages						
Ash Grove Fire		Hazard Value	Contents Value	Building Types		
		%	%	Fire Buildings		
	Building Only	x	x	\$60,000.00		
	Contents	x	150.00%	\$90,000.00		
	Building & Contents	x	x	\$150,000.00		
	Estimated Number of Buildings			1		
Natural	Dam Failure	0.00%		\$0.00		
	Drought	10.00%		\$15,000.00		
	Earthquake	15.00%		\$22,500.00		
	Extreme Heat	8.00%		\$12,000.00		
	Flooding	2.00%		\$3,000.00		
	Land Subsidence	2.00%		\$3,000.00		
	Tornado/T-Storms	25.00%		\$37,500.00		
	Wildfire	2.00%		\$3,000.00		
	Winter Storms	15.00%		\$22,500.00		
Man-Made	Biological	35.00%		\$52,500.00		
	Chemical	20.00%		\$30,000.00		
	Civil Disorder	3.00%		\$4,500.00		
	Explosives	4.00%		\$6,000.00		
	Nuclear	1.00%		\$1,500.00		
	Radiological	2.00%		\$3,000.00		
	Technological	20.00%		\$30,000.00		
	Waste	6.00%		\$9,000.00		

Hazard Vulnerability Percentages						
Bois D'Arc Fire		Hazard Value	Contents Value	Building Types		
		%	%	Fire Buildings		
	Building Only	x	x	\$80,000.00		
	Contents	x	150.00%	\$120,000.00		
	Building & Contents	x	x	\$200,000.00		
	Estimated Number of Buildings			2		
Natural	Dam Failure	0.00%		\$0.00		
	Drought	10.00%		\$20,000.00		
	Earthquake	15.00%		\$30,000.00		
	Extreme Heat	8.00%		\$16,000.00		
	Flooding	1.00%		\$2,000.00		
	Land Subsidence	3.00%		\$6,000.00		
	Tornado/T-Storms	25.00%		\$50,000.00		
	Wildfire	2.00%		\$4,000.00		
	Winter Storms	15.00%		\$30,000.00		
Man-Made	Biological	35.00%		\$70,000.00		
	Chemical	20.00%		\$70,000.00		
	Civil Disorder	3.00%		\$6,000.00		
	Explosives	4.00%		\$8,000.00		
	Nuclear	1.00%		\$2,000.00		
	Radiological	2.00%		\$4,000.00		
	Technological	20.00%		\$70,000.00		
	Waste	6.00%		\$12,000.00		

Hazard Vulnerability Percentages						
Ebenezer Fire		Hazard Value	Contents Value	Building Types		
		%	%	Fire Buildings		
	Building Only	x	x	\$1,000,000.00		
	Contents	x	150.00%	\$1,500,000.00		
	Building & Contents	x	x	\$2,500,000.00		
	Estimated Number of Buildings			3		
Natural	Dam Failure	0.00%		\$0.00		
	Drought	10.00%		\$250,000.00		
	Earthquake	15.00%		\$375,000.00		
	Extreme Heat	8.00%		\$200,000.00		
	Flooding	2.00%		\$50,000.00		
	Land Subsidence	1.00%		\$25,000.00		
	Tornado/T-Storms	25.00%		\$625,000.00		
	Wildfire	2.00%		\$50,000.00		
	Winter Storms	15.00%		\$375,000.00		
Man-Made	Biological	35.00%		\$875,000.00		
	Chemical	20.00%		\$500,000.00		
	Civil Disorder	3.00%		\$75,000.00		
	Explosives	4.00%		\$100,000.00		
	Nuclear	1.00%		\$25,000.00		
	Radiological	2.00%		\$50,000.00		
	Technological	20.00%		\$500,000.00		
	Waste	6.00%		\$150,000.00		

Hazard Vulnerability Percentages						
Fair Grove Fire		Hazard Value	Contents Value	Building Types		
		%	%	Fire Buildings		
	Building Only	x	x	\$87,000.00		
	Contents	x	150.00%	\$130,500.00		
	Building & Contents	x	x	\$217,500.00		
	Estimated Number of Buildings			1		
Natural	Dam Failure	0.00%		\$0.00		
	Drought	10.00%		\$21,750.00		
	Earthquake	15.00%		\$32,625.00		
	Extreme Heat	8.00%		\$17,400.00		
	Flooding	1.00%		\$2,175.00		
	Land Subsidence	1.00%		\$2,175.00		
	Tornado/T-Storms	25.00%		\$54,375.00		
	Wildfire	2.00%		\$4,350.00		
	Winter Storms	15.00%		\$32,625.00		
Man-Made	Biological	35.00%		\$76,125.00		
	Chemical	20.00%		\$4,350,000.00		
	Civil Disorder	3.00%		\$6,525.00		
	Explosives	4.00%		\$8,700.00		
	Nuclear	1.00%		\$2,175.00		
	Radiological	2.00%		\$4,350.00		
	Technological	20.00%		\$4,350,000.00		
	Waste	6.00%		\$13,050.00		

Hazard Vulnerability Percentages						
LR Fire		Hazard Value	Contents Value	Building Types		
		%	%	Fire Buildings		
	Building Only	x	x	\$1,363,000.00		
	Contents	x	150.00%	\$2,044,500.00		
	Building & Contents			\$3,407,500.00		
	Estimated Number of Buildings			3		
Natural	Dam Failure	0.00%		\$0.00		
	Drought	10.00%		\$272,600.00		
	Earthquake	15.00%		\$511,125.00		
	Extreme Heat	8.00%		\$272,600.00		
	Flooding	1.00%		\$34,075.00		
	Land Subsidence	5.00%		\$170,375.00		
	Tornado/T-Storms	25.00%		\$851,875.00		
	Wildfire	2.00%		\$68,150.00		
	Winter Storms	15.00%		\$511,125.00		
Man-Made	Biological	35.00%		\$1,192,625.00		
	Chemical	20.00%		\$681,500.00		
	Civil Disorder	3.00%		\$102,225.00		
	Explosives	4.00%		\$136,300.00		
	Nuclear	1.00%		\$34,075.00		
	Radiological	2.00%		\$68,150.00		
	Technological	20.00%		\$681,500.00		
	Waste	6.00%		\$204,450.00		

Hazard Vulnerability Percentages						
Pleasant View Fire		Hazard Value	Contents Value	Building Types		
		%	%	Fire Buildings		
	Building Only	x	x	\$214,085.00		
	Contents	x	150.00%	\$321,127.00		
	Building & Contents			\$535,212.00		
	Estimated Number of Buildings			1		
Natural	Dam Failure	2.00%		\$210,704.24		
	Drought	10.00%		\$53,521.20		
	Earthquake	15.00%		\$80,281.80		
	Extreme Heat	8.00%		\$42,816.96		
	Flooding	1.00%		\$5,352.12		
	Land Subsidence	2.00%		\$10,704.24		
	Tornado/T-Storms	25.00%		\$133,803.00		
	Wildfire	2.00%		\$10,704.24		
	Winter Storms	15.00%		\$80,281.80		
Man-Made	Biological	35.00%		\$187,324.20		
	Chemical	20.00%		\$107,042.40		
	Civil Disorder	3.00%		\$16,056.36		
	Explosives	4.00%		\$21,408.48		
	Nuclear	1.00%		\$5,352.12		
	Radiological	2.00%		\$10,704.24		
	Technological	20.00%		\$107,042.40		
	Waste	6.00%		\$32,112.72		

Hazard Vulnerability Percentages							
Strafford Fire		Hazard Value	Building Types				
		%	Residential	Public Service	Fire Buildings	Utilities / Communication	Totals
Building & Contents		x	\$101,920.00	\$446,504.00	\$1,876,060.00	\$7,874.00	\$2,432,358.00
Estimated Number of Buildings			1	1	3	1	
Natural	Dam Failure	0.00%	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Drought	10.00%	\$10,192.00	\$44,650.40	\$187,606.00	\$784.40	\$243,232.80
	Earthquake	15.00%	\$15,288.00	\$66,975.60	\$281,409.00	\$1,181.10	\$364,853.70
	Extreme Heat	8.00%	\$8,153.60	\$35,720.32	\$150,084.80	\$629.92	\$194,588.64
	Flooding	1.00%	\$1,019.20	\$4,465.04	\$18,760.60	\$78.74	\$24,323.58
	Land Subsidence	1.00%	\$1,019.20	\$4,465.04	\$18,760.60	\$78.74	\$24,323.58
	Tornado/T-Storms	25.00%	\$25,480.00	\$111,626.00	\$469,015.00	\$1,968.50	\$608,089.50
	Wildfire	2.00%	\$2,038.40	\$8,930.08	\$37,521.20	\$157.48	\$48,647.16
	Winter Storms	15.00%	\$15,288.00	\$66,975.60	\$281,409.00	\$1,181.10	\$364,853.70
Man-Made	Biological	35.00%	\$35,672.00	\$156,276.40	\$656,621.00	\$2,755.90	\$851,325.30
	Chemical	20.00%	\$20,384.00	\$89,300.80	\$375,212.00	\$157.48	\$485,054.28
	Civil Disorder	3.00%	\$3,057.60	\$13,395.12	\$56,281.80	\$236.22	\$72,970.74
	Explosives	4.00%	\$4,076.80	\$17,860.16	\$75,042.40	\$314.96	\$97,294.32
	Nuclear	1.00%	\$1,019.20	\$4,465.04	\$18,760.60	\$78.74	\$24,323.58
	Radiological	2.00%	\$2,038.40	\$8,930.08	\$37,521.20	\$157.48	\$48,647.16
	Technological	20.00%	\$20,384.00	\$89,300.80	\$375,212.00	\$157.48	\$485,054.28
	Waste	6.00%	\$6,115.20	\$26,790.24	\$112,563.60	\$472.44	\$145,941.48

Hazard Vulnerability Percentages						
Willard Fire		Hazard Value	Contents Value	Building Types		
		%	%	Fire Buildings		
	Building Only	x	x	\$1,043,718.00		
	Contents	x	x	\$2,246,000.00		
	Building & Contents			\$3,289,718.00		
	Estimated Number of Buildings			3		
Natural	Dam Failure	0.00%		\$0.00		
	Drought	10.00%		\$328,971.80		
	Earthquake	15.00%		\$493,457.70		
	Extreme Heat	8.00%		\$263,177.44		
	Flooding	2.00%		\$65,794.36		
	Land Subsidence	5.00%		\$164,485.90		
	Tornado/T-Storms	25.00%		\$822,429.50		
	Wildfire	2.00%		\$65,794.36		
	Winter Storms	15.00%		\$493,457.70		
Man-Made	Biological	35.00%		\$1,151,401.30		
	Chemical	20.00%		\$657,943.60		
	Civil Disorder	3.00%		\$98,691.54		
	Explosives	4.00%		\$131,588.72		
	Nuclear	1.00%		\$32,897.18		
	Radiological	2.00%		\$65,794.36		
	Technological	20.00%		\$657,943.60		
	Waste	6.00%		\$197,383.08		